

# Geotechnical Products

## Don & Low


Woven & Nonwoven Geotextiles <i>Lotrak®</i>	264
Geogrids	264

---

## Tensar

Geogrids	265
----------	-----

CIVILS



### Woven Geotextiles

Wolseley code	Supplier code	Product description	Length m	Width m
BA1432	AZTEX609HP	Base Handypack (Separation)	10	4.5
BA2864	DON00057	Base Woven (Separation)	100	4.5
BA3118	ALARM18	Alarm 18 Woven (High Visibility)	100	4.5
BA8218	DON00024	Advance Woven (Separation)	100	4.5
BA8219	DON00014	1800 Woven (Separation)	100	4.5
BA8220	DON00015	2300 Woven (High Strength Separation)	100	4.5
BA8221	DON00016	2800 Woven (High Strength Separation)	100	4.5
BD3694	25R	25R Woven (High Strength Separation & Reinforcement)	100	5.0
BA8222	DON00019	50R Woven (High Strength Separation & Reinforcement)	100	5.0
F63067	DON00021	70R Woven (High Strength Separation & Reinforcement)	100	5.0
F63068		HF550 Woven (Filtration & Drainage)	100	4.5
F63097	GC044A8SJ 90 100DL	Woven Silt Fence	100	0.9

### Nonwoven Geotextiles

Wolseley code	Supplier code	Product description	Length m	Width m
BD3368	MLTERR200 450100DI	Permanent Way Drainage Geotextile (Drainage)	100	4.5
BD3369	MLTERR300 450100DI	Permanent Way Separation Geotextile (Separation)	100	4.5
BD6813	MLTERR080450100DI	80 Nonwoven (Separation & Filtration)	100	4.5
BA3101	DON00058	100 Nonwoven (Separation & Filtration)	100	4.5
F63096	MLTERR1004510HP	100 Nonwoven Handypack (Separation & Filtration)		60cm
BE0119	NW140	140 Nonwoven (Separation & Filtration)	100	4.5
BD4526	LOTRAK200	200 Nonwoven (Separation & Filtration)	100	4.5
F63090	LOTRAK3004.5X100	300 Nonwoven (Separation & Filtration)	100	4.5

### Geogrids

Wolseley code	Supplier code	Product description	Length m	Width m
BD8964	MGRID2020	20/20S Grid (Ground Stabilisation & Reinforcement)	50	3.95
BD8695	30/30S	30/30S Grid (Ground Stabilisation & Reinforcement)	50	3.95
BD8965	MGRID4040	40/40S Grid (Ground Stabilisation & Reinforcement)	50	3.95

Please note:

Lotrak® products are CE marked, in accordance with the Construction Products Regulation (CPR), 2013.

Tensar geogrids are suitable for a range of applications: subgrade stabilisation for road, rail and other trafficked areas.

## Geogrids

Wolseley code	Supplier code	Length m	Width m	Area m <sup>2</sup>	Weight/roll kg	Material	Colour
BD7369	TX1305	75	4	300	67	Polypropylene	Black
BA3450	TX150	75	4	300	67	Polypropylene	Black
BA3471	TX160	75	4	300	73	Polypropylene	Black
BA3473	TX170	50	4	200	59	Polypropylene	Black
BA3410	TX190L*	50	3.8	190	62	Polypropylene	Black

\* Network Rail approval for trackbed.  
Measured in accordance with EOTA Technical report TR41.

Wolseley code	Supplier code	Length m	Width m	Area m <sup>2</sup>	Weight/roll kg	Material	Colour
BA3451	SCIntegrid	50	4	200	50	Polypropylene	Black
BA3420	SSLA30	50	3.8	190	67	Polypropylene	Black

Complies with EN ISO 10319.

# We've got tonnes of sand and aggregates



*Civils page 286*